COJING SHADOWS

Scaling Flutter to 100k MAU as a solo dev

Dinu-Ștefan RUSU

June 2025 - scanneralimente.ro





Dinu RUSU Senior Software Engineer

rusudinu.ro

- Launched 42 mobile apps since 2017 (5.25 apps / year)
- > Senior Software Engineer
- Teaching Assistant

& other boring stuff (4x invited at ProTV, Euronews, etc)




Why am I here?

Out of 1.8M apps on Google Play, 3.7k were built by Romanian developers * How many with over 100k installs (by Ro devs)? **

* https://42matters.com/how-many-mobile-apps-have-been-built-byromanian-developers

*** Trust me bro powered by ChatGPT deep research





20:44 🔉	ul a	? 5 7
Salut,		≡
Q Caută		
Istoric		
800050035	Original aux noisettes	8
800050035	Original aux noisettes	•
800050035	Original aux noisettes	
800050040	Fără nume 9 Admivi	*
Acosó	F Profil	,



All you need...

- > 5 years of perseverance
- Pay attention to this talk*
- > * and maybe a little bit of luck

After paying attention to this talk

You

999

The scarry monster

6

Building a new, user-ready product is hard.

So you should build more. Or vibe code it to make your life even harder.

- UX
- Marketing
- Actual implementation
- User satisfaction



Competition is high

Most apps are easy to replicate

- A lot of developers try to create a side income
- Developing apps became cheaper (AI + Cross Platform frameworks like Flutter, React Native)
- For Google Play the barrier of entry is lower
- Even Grandma can build an app now (Cursor, Windsurf, etc)



The battle

11111

ĝ

Your biggest enemies

- Marketing (+ Business Development)
- > Compute



Being conscious of cost

- > 1TB of image storage
- ➢ 60GB PostgreSQL database
- > 20GB egress / month
- > 16GB ram, 8 vCPUs VPS





As promised, the AWS bill came + GCP

Service	AWS Estimate	Google Cloud Estimate
1 TB Storage	~\$23.00	~\$26.00
60 GB PostgreSQL DB	~\$20–\$25 (not added to total)	~\$39 (not added to total)
20 GB Egress	~\$1.80	~\$2.40-\$3.80
VPS (16 GB RAM, 8 vCPU)	~\$242	~\$288
Total	~\$260	~\$300



Cost in case of a DDOS

Or protecting against one

(egress)

Service		AWS Estimate	Google Cloud Estimate
AWS Waf &	& Shield	\$3.000	-
Google Clo	ud Armor	-	\$200 (2 resources) otherwise \$3.000
	Service	AWS Estimate	Google Cloud Estimate
	1TB bandwidth	\$20/TB	\$65/TB

*Average bandwidth considered for the attack: 1Gbps (0.001TB/s) (=> 1TB/15 minutes)



Cost in case of a DDOS

Or protecting against one

Service	AWS Estimate	Google Cloud Estimate
1TB bandwidth (egress)	\$20/TB	\$65/TB
Service	AWS Estimate	Google Cloud Estimate
2TB transferred	\$40	\$130
	\$ 15	\$100
20TB	\$400	\$1300

* With an average duration of 23 minutes / attack => 2TB of data transferred



Marketing

Google Ads 0.31 RON / install (Android) 0.40 RON / install (iOS) Meta Ads

10 RON / 1.4k-4.1k views

Apple Search Ads Don't even think about it

в



How one email can kill your entire app

"Notification of Apple Developer Program License Agreement (PLA) Violation" 🤣 <app_notification@apple.com> to me 👻 Mon, Apr 7, 3:44 PM 🕁 🙂 🕤 🗄

Hello Dinu Stefan Rusu,

We're writing to inform you that your company isn't in compliance with the Apple Developer Program License Agreement (DPLA).

Section 11.2 (Termination) states:

(g) if You engage, or encourage others to engage, in any misleading, fraudulent, improper, unlawful or dishonest act relating to this Agreement, including, but not limited to, misrepresenting the nature of Your Application (e.g., hiding or trying to hide functionality from Apple's review, falsifying consumer reviews for Your Application, engaging in payment fraud, etc.).

Be aware that manipulating App Store chart rankings, user reviews or search index may result in the loss of your developer program membership.

Please address this issue promptly.

Sincerely, Apple



CodingShadows <dinustefan89.ds@gmail.com> to Notification -

Hello,

Apple Support

to me 💌

Please provide more details regarding this problem as I am not familiar with any violations.

N

Wed, Apr 9, 1:09 PM 🕁 🙂 🕤 🚦

ú

Hi,

Thank you for your reply.

As noted in the original notification, manipulating App Store chart rankings, user reviews, or search index is a violation of the Apple Developer Program License Agreement (DPLA) and may result in the loss of your Developer program membership.

We suggest you conduct internal investigations to ensure you and any third-parties you may work with are in compliance with the DPLA and App Store Review Guidelines.

We also encourage you to closely monitor your app activities. If you notice any unusual activity in the future, please follow these steps: Sign in to App Store Connect > Contact Us > Report a Concern > Report a Fraud Concern.

We are unable to provide additional information at this time. Thank you for your efforts to make the App Store a safe and enjoyable experience for users and a great opportunity for all developers to be successful.

Sincerely, Apple

Ú

Hi Dinu,

We acknowledge that your inquiries pertain to the issue of specific content within your application that may be in violation of the PLA. However, as members of the Developer Support team, we lack the ability to access the inner workings of your application. Consequently, we are unable to provide precise details about the specific issues or guide you towards the problems identified by the App Review team.

Should you require assistance, we recommend that you directly contact the App Review team for further support.

Bets regards,

Tee Developer Support

Taming the monster

0

Compute Hetzner

- Fixed cost (\$22/month)
- Cheap networking
- Cheap compute
- > Cheap storage
- Reliable (somewhat I am looking at you, object storage)
- Object storage in Falkenstein kept crashing in the first months
- To create an account, you need Passport / ID verification





Compute Hetzner

Cloudflare	Firebase	Alerting system
Hetzner, Region: Falkenstein	Auth Messaging	Google Cloud
	Analytics Firestore	Functions
CAX31 (16GB RAM, 8vCPUs, 160GB storage)	VertexAl	Telegram





Compute Hetzner

HETZNER	CAX31		
Do	ocker Swarm		
træfik	Traefik		
BE Rep1 () spring boot	SENTRY	Grafana	Prometheus
eredis PostgreSQL		mongoE)B₀



Cost in case of a DDOS

Or protecting against one

Service	AWS Estimate	Google Cloud Estimate	Hetzner
1TB bandwidth (egress)	\$20/TB	\$65/TB	20TB Included, then \$1.20/TB

*Average bandwidth considered for the attack: 1Gbps (0.001TB/s) (=> 1TB/15 minutes)



Cost in case of a DDOS


Service	AWS Estimate	Google Cloud Estimate	Hetzner
1TB bandwidth (egress)	\$20/TB	\$65/TB	20TB Included, then \$1.20/TB
Service	AWS Estimate	Google Cloud Estimate	Hetzner
Service 2TB transferred	AWS Estimate \$40		Hetzner 0
		Estimate	

* With an average duration of 23 minutes / attack => 2TB of data transferred

Mobile tech Why Flutter

- > I don't like JavaScript
- > Already had an internal UI Library
- Same UI on both Android and iOS + Web and Desktop support
- Better performance compared to RN






Scan History Store

Local OCR is not that precise


	RUNTIME Text processing alg
RELEASE PIPELNE (PRE-COMPILE) Bundled localized additives list Pre-compute search token map	On-boot Data loading Load pre-computed search token to code map Load additives for search list Load localized additives list
	On-scan Raw OCR Text V Preprocessing Lowercase Diacritics Non-alpha -> spaces Remove doubled spaces Word split Handle 'e' before number combos
	♥ Chunk with overlap
	↓
	Ngram generation (for each chunk) Create n-grams Remove invalid n-grams
	Code identification (for each chunk) Identify code Find partial matches
	↓
	Result reconstruction from chunks

Current version

- Cloud text extraction (improved accuracy) Cost: \$0.00004
- Barcode scanning Cost: \$0 (but total cost for the server is \$21 (fixed)



Token usage in Firebase AI (prev Vertex AI)



generate_content gemini-1.5-flas

generate_content gemini-1.5-nash
⊘ Successful (♦, model) (◊ 1s 614ms) (◊ Jun 2, 2025, 8:47:57 AM
nput
<pre>[{ "event.mame": "gen_si.user.message", "content": [{ "mimeType": "image/joeq", "displayMame : "" "displayMame : "" "displayMame : "" } } / revert.": The origoneshall2dodf85119f4cb88es8e25ebe2658594cb51cf594e91d8902140ed606dc7fe9ce9d62ced2b133d1fe92c588ab29f945ac1196a7b7e354d6897df2ca7df4fe87>", displayMame : "" } } / revert: "Ce ingrediente sunt in imaginea de mai sus? Rispunde cu ingrediente separate prin virgulå farå alte detalii sau simboluri. Dacë nu există ingrediente, rispunde cu "NU". Indiferent de limba ingredientelor, rispunsul tâu va fi în limba română." // revert: "Ce ingrediente sunt in imaginea de mai sus? Rispunde cu ingrediente separate prin virgulă fară alte detalii sau simboluri. Dacë nu există ingrediente, rispunde cu "NU". Indiferent de limba ingredientelor, rispunsul tâu va fi în limba română." // reole: "user" // reole: "septem", reole: "septem",</pre>
Dutput
<pre>{ { "event.name": "gen_ai.choice", "index": 0, "message": { "endex": 0, "essage": { "contret": [{</pre>

0

D

final safetySettings = [

```
SafetySetting(HarmCategory.harassment, HarmBlockThreshold.high, HarmBlockMethod.probability),
SafetySetting(HarmCategory.hateSpeech, HarmBlockThreshold.high, HarmBlockMethod.probability),
];
```

generationConfig: GenerationConfig(maxOutputTokens: 500,

),

final model = FirebaseVertexAI.instanceFor('FirebaseVertexAI' is deprecated and shouldn't be used. `FirebaseVertexAI` library and `firebase_vertexai` package have...
location: FirebaseRemoteConfig.instance.getString('vertex_ai_model_region').isEmpty ? 'europe-west1' : FirebaseRemoteConfig.instance.getString('vertex_ai_model_region'),
appCheck: FirebaseAppCheck.instanceFor(app: Firebase.app()),

).generativeModel(

model: FirebaseRemoteConfig.instance.getString('vertex_ai_model').isEmpty ? 'gemini-1.5-flash' : FirebaseRemoteConfig.instance.getString('vertex_ai_model'),



```
static Schema _createRecipeDetailsSchema() {
  return Schema.object(
    properties: {
      'recipe': Schema.object(
        properties: {
          'name': Schema.string(description: 'Name of the recipe'),
          'description': Schema.string(description: 'Brief description of the recipe'),
          'ingredients': Schema.array(
           items: Schema.object(
              properties: {
                'item': Schema.string(description: 'Name of the ingredient'),
                'quantity': Schema.string(description: 'Required quantity with unit'),
              },
            ),
            description: 'List of ingredients needed for the recipe',
          ),
          'instructions': Schema.array(
           items: Schema.string(description: 'Step-by-step cooking instruction. Do not start with Step 1, just write them in order.'),
            description: 'Ordered list of cooking steps',
          ),
```

Marketing TikTok, Facebook & Instagram


- > 2 TikTok accounts, 1 post / day
- 1Facebook account
- > 1Instagram account
- Short videos, under 30 seconds, scanning a product
 - 'Real life' use-case, videos in which I did not say the app name => more views
 - Let the users ask in the comments what is the app name
- After product market fit > Google
 Ads + Meta Ads



Business

- No cost for V0 => Always 'on profit' so I could outclass my competitors
- Low cost => More permissive with pricing for users
- Build a valuable ingredient <-> barcode database with the users by offering Free Scans
- Learn valuable user patterns with surveys for Free Scans
- Re-use the database of other apps or sell to 3rd parties that want to integrate barcode scanning (e.g Nutrilens)








Purchase revenue 😫






Monday, Apr 21, 2025

Realized LTV / Paying Customer (30 days): \$3.43 New Paying Customers (30 days): 1.00 Realized LTV (30 days): \$3.43






Wednesday, Apr 30, 2025 (Incomplete)

Realized LTV / Paying Customer (30 days): \$22.70 New Paying Customers (30 days): 1.00 Realized LTV (30 days): \$22.70



Insights

Scan Time Distribution (Last 30 Days)



Most Popular Shopping Items Most Scanned Additives

Product	Code	Frequency
	Sare	1726988
morcovi	Zahar	1499387
	Lapte	1167436
сеара	Gluten	832552
	Soia	630000
cartofi	E330	561830
	Ulei de floarea soarelui	397556
piept de pui	E322	370119
	Ulei de palmier	356678
rosii	Fructe	317488
	Sirop de glucoza	314322
rădăcină de țelină	Porumb	296038
	E300	288791
mozzarella	Mustar	287794
	Unt	251386
ouǎ	Oua	248664
	Seminte	248008
iaurt	E500	239855
	Dextroza	223224
spanac	E250	220871

Q1: How often do you check food product labels before buying?

Total responses: 706





Q2: What type of products do you scan most often?

Total responses: 706

Dairy and cheese175 (24.8%)Meat and meat products171 (24.2%)Processed products (snacks,
drinks, cereals)282 (39.9%)Organic/bio products31 (4.4%)Other categories (specify)47 (6.7%)




Q4: Would you buy a product with a score lower than 5 if there were no alternatives?

 Total responses: 706

 Yes
 124 (17.6%)

 Depends on the product
 262 (37.1%)

 No, I avoid low-score products
 320 (45.3%)



What could have been improved

- Not using code generation packages like json_serializable from the get-go
- > Better optimizations of app size by streaming assets
- Revenue / user needs to be improved
- > Cleaner code structure using Bloc more often

The friends we made along the way

Did it work? Users & Revenue

+\$1,000

MRR (subscriptions only)

+200,000 Downloads across both stores in <1 year



From over 3,000 reviews



Did it work? Media & partnerships



& Up Romania Edenred Benefit



Other tips

- > Focus on winning a single market
- > Less is more
- > Try to win over creators
- > Gradual feature discovery
- Defer asking for notification permissions
- > Ask for reviews at key moments



User feedback

by Lunaaaaaaa16 – Jan 14, 2025 Cea mai buna aplicatie de genul asta

by GoO1! – Nov 24, 2024 Extrem de utila si usor de folosit. M-a ajutat sa aleg varianta sanatoasa cand 3 produse arata la fel dar continutul sin punct de vedere sanatate e total diferit . Bravo asteptam si pentru dermatologie

by Ioana Clara – Oct 16, 2024 În sfârșit o aplicație foarte utilă!

by Leo Leo – Apr 19, 2025 Nu este perfecta dar este foarte buna, cand scanezi unele alimente te apuca groaza cate chimicale sunt in ele, de cand o folosesc am inceput sa renunț la produse pe care le foloseam des inainte, de ex, sucuri.





auri

idea

daniel paunescu Feb 23 18:48



C

@Constantin Topala

• • •

Cine face aplicații de astea.? Nu poți să ai încreder e în așa ceva.! Așea, ca atitudine. 1d

Approve

Delete

De ce aplicatia intra prin fisiere si acceseaza parolele????

© CODINESHADOWS



You are now part of the friends I made (not the angry ones) along the way

rusudinu.ro codingshadows.com